



TOWERKLENE 38-A

SUMP CLEANER

TOWERKLENE 38-A is a compounded cleaning concentrate designed to remove heavy contaminants from recirculating coolant systems. Use of this product will assure that maximum cleaning and disinfecting of the system will be achieved. **TOWERKLENE 38-A** will clean the sump reservoir, machine walls and tools. **TOWERKLENE 38-A** will not attack pumps, hoses, plastics or gaskets.

USAGE

TOWERKLENE 38-A should be used at dilutions from 2 to 5%. The system being cleaned should be allowed to circulate for at least one hour with special attention paid to all areas that come in contact with the fluid, chips or swarf. Particular attention should be given to the undersides of machine beds and reservoir covers. **TOWERKLENE 38-A** can be circulated for up to 12 hours for thorough cleaning.

PHYSICAL CHARACTERISTICS

Density	1.03 g/ml	8.62 lbs/gal
Appearance	Clear Liquid	
Odor	Mild	
pH	Typically 12.5 to 13.5	

BENEFITS

- **Is Completely Soluble in Water**
- **Acts Rapidly and Effectively**
- **Is Cost Effective**
- **Will Not Rust Machine or Tools**
- **Cleans and Disinfects in One Step**

TECHNICAL SUPPORT

TOWER wants to assist you in the evaluation and selection of suitable products. We urge you to take advantage of this service. This information sheet and **TOWER's** assistance, however, are not a substitute for your own testing and evaluation.

04084/119