



# Tower Oil & Technology Co.

## TUBEFORM 495

**TUBEFORM 495** is a micro-emulsion formulated especially for Tube Mill Systems. Formulated with an excellent corrosion preventive package, **TUBEFORM 495** offers prolonged rust protection for a wide variety of metals. It is operator friendly and very stable in various types of water. Designed with excellent cooling characteristics, **TUBEFORM 495** allows for the efficient dissipation of heat generated during the welding phase of production. Because **TUBEFORM 495** contains some mineral oil, it provides the benefits of oil while offering the advantages of a pure chemical solution.

### USAGE

**TUBEFORM 495** is intended to be used at starting dilutions of 5% to 10% depending on the material being formed and the relative severity of the operation. For best results mix **TUBEFORM 495** by adding concentrate to water with agitation.

### BENEFITS

- Does NOT Contain DEA, Chlorine, Nitrites, Phenols or PCB's
- Provides Excellent In-Process Rust Protection
- Resists Attack From Bacteria, Fungi, and Mold
- Has Low Foam Characteristics
- Will Not Form Sticky Deposits on Equipment
- Is Designed to be Recyclable

### TECHNICAL SUPPORT

**TOWER OIL & TECHNOLOGY Co.** wants to assist you in evaluation and selection of suitable products. We urge you to take advantage of this service. This information sheet and **TOWER'S** assistance, however, are not a substitute for your own testing and evaluation.

02169/112